Saskatchewan Ministry of Agriculture

Crop Report

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 23, September 24, 2009

Crop Report for the period September 15 to 21st, 2009

Fine weather helped producers make good progress on harvest this past week, according to Saskatchewan Agriculture's weekly Crop Report.

Fifty per cent of the 2009 crop has been combined, up from 32 per cent last week. An additional 24 per cent is swathed and nine per cent is ready to straight-combine.

The five-year (2004-2008) average for this time of year is 58 per cent harvested, although harvest progress has ranged from as little as 17 per cent completed in 2004 to as much as 92 per cent completed in 2006.

Despite some scattered showers during the week and rain on Sunday, the weather was generally good and allowed most producers to progress well with the harvest. Producers in many areas are dealing with short harvesting days, thanks to dew in the morning and evening.

Ninety-eight per cent of the winter wheat, 91 per cent of fall rye, 87 per cent of lentils, 94 per cent of peas and 59 per cent of barley have been combined. Thirty-four per cent of canola has been harvested and 56 per cent has been swathed. Sixty-four per cent of mustard has been harvested and 13 per cent is ready to straight-combine.

Cropland topsoil moisture continues to decline in the province and is rated as 66 per cent adequate, 27 per cent short and seven per cent very short. Hay land and pasture topsoil moisture conditions are similar to last week's report and are rated as 56 per cent adequate, 33 per cent short and 11 per cent very short.

Grasshoppers and sawflies are the major causes of reported crop damage, particularly in crop districts 2B, 3ASW and 3BN. Wind also continues to damage crops by blowing swaths around.

Producers are relieved there have not been reports of frost damage yet.

Saskatchewan Harvest Progress- September 21st, 2009

	% this week	% last week	Year ago 2008	Five year Average 2004-8
W. wheat	98	90	98	88
Fall rye	91	88	91	63
Spring wheat	41	19	64	58
Durum	57	34	67	55
Oats	26	11	50	52
Barley	59	38	76	81
Triticale	46	28	51	61
Flax	8	1	16	27
Canola	34	14	57	52
Mustard	64	49	76	69
Sunflowers	0	0	0	1
Lentils	87	78	96	84
Peas	94	87	96	85
Canary seed	16	6	23	34
Chickpeas	30	14	35	50
Total	50	32	66	58

One year ago
Sixty six per cent of the 2008 crop had been harvested. Most areas experienced warm dry weather

Saskatchewan Crop Insurance Report

The deadline to seed fall rye and winter wheat and be eligible for winterkill insurance is September 15. Forage Declarations are required to be submitted by September 30. This is also the deadline to register forage yield-loss claims or request an extension of insurance on unharvested forage acres. Claims submitted between October 1 and November 15 will have indemnities reduced by 25 per cent; claims will not be accepted after November 15.

For further information, contact: Grant McLean, PAg, Cropping Management Specialist, Regional Services Branch, Agriculture Knowledge Centre, 1-866-457-2377.
E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.agriculture.gov.sk.ca.

Please let us know if you no longer need to receive a printed copy

Agriculture and Agri-Food Canada | Agriculture et Agroalimentaire Canada

CANADA – SASKATCHEWAN Crop Insurance

Southeastern Saskatchewan (Crop Districts 1, 2, and 3ASE)

Much of the week was dry, but most areas received rain on Sunday and/or Monday ranging from trace to 24 mm (CD 2A). At the CD level, the average rainfall was two mm (CD 1A), five mm (CD 1B), eight mm (CD 2A and 2B), and six mm (CD 3ASE). Overall, the southeastern region received an average of six mm.

Ninety-nine per cent of fall rye and 98 per cent of winter wheat have been harvested in the region. As well, 94 and 87 per cent of field pea and lentil, respectively, have been harvested. Seventy-seven per cent of barley and 66 per cent of mustard have been harvested. Fifty-nine per cent of spring wheat, 58 per cent of canola, 51 per cent of durum, 42 per cent of oats, and 40 per cent of chickpea and triticale have been harvested. Twenty-nine per cent of canary seed and 11 per cent of flax have been harvested.

Reports on barley grades indicate that 40 per cent of the barley is malt, while 53 per cent is No. 1.

Topsoil moisture conditions are similar to those reported last week. For crop land topsoil moisture conditions, the region is reporting 81 per cent adequate, 14 per cent short and four per cent very short. Hay and pasture land topsoil moisture conditions are 63 per cent adequate, 34 per cent short and three per cent very short.

Much of the crop damage was caused by grasshoppers and sawflies (CD 2B and 3ASE). Some wind damage was reported in a few RMs while RM 26 reported frost damage.

Most reports indicate good harvesting week. Desiccation of flax has started. Warm weather is still needed. The Sunday rain (Sept. 20) will delay harvesting for a few days. Dew in the morning and evenings is still an issue. There are reports of swaths being blown around by strong winds. Some areas are reporting lots of grasshoppers. Lodging was reported in some areas. Some producers have started spraying for winter annuals. Some reporters are indicating that with another week of dry weather, harvesting could be wrapping up.

Southwestern Saskatchewan (Crop Districts 3ASW, 3AN, 3B and 4)

Much of the week was dry but most areas received rain on Saturday, Sunday and/or Monday ranging from trace to 20 mm (CD 3ASW). At the CD level, the average rainfall was six mm (CD 3ASW), six mm (CD 3AN), three mm (CD 3BS), three mm (CD 3BN) and three mm (CD 4B). No more than trace rainfall was reported in CD 4A. Overall, the southwestern region received an average of four mm.

Eighty-three per cent of fall rye and 99 per cent of winter wheat have been harvested in the region. All of the field peas and 97 per cent of lentils have been harvested. Mustard, canola, barley, spring wheat, durum and oats are reported as 91, 83, 82, 80, 73 and 63 per cent harvested, respectively. Triticale and canary seed are reported at 48 and 37 per cent harvested, respectively. Flax and chickpeas are sitting at 19 per cent harvested.

Reports on barley grades indicate that 32 per cent of the barley is malt while 61 per cent is No. 1.

Topsoil moisture conditions have declined from last week. Cropland topsoil moisture was reported as 48 per cent adequate, 36 per cent short and 16 per cent very short. Topsoil moisture conditions on hay and pasture land are rated as 37 per cent adequate, 32 per cent short and 30 per cent very short.

Much of the crop damage was caused by grasshoppers, sawflies and wind. RM 138 also reported gopher damage. Crop damage due to drought was reported in RM 141 while frost damage was reported in RM 71. Some areas are reporting damage due to deer.

A good week of harvesting will allow most farmers to wrap up their harvest. Some producers fear that the rain may cause some crop damage.

East-Central Saskatchewan (Crop Districts 5 and 6A)

Much of the week was dry, but most areas received rain on Sunday and/or Monday ranging from trace to 24 mm (RM 280). At the CD level, the average rainfall was five mm (CD 5A), three mm (CD 5B) and 10 mm (CD 6A). Overall, the east central region received an average of seven mm.

All of the fall rye crop and 98 per cent of winter wheat have been harvested. Ninety-three per cent of field pea and 84 per cent of lentil have been harvested. Chickpeas and barley are reported at 73 and 63 per cent harvested, respectively, while 36 per cent of spring wheat, 34 per cent of mustard and 30 per cent of canola have been harvested. Twenty-seven per cent of durum and 19 per cent of oats have been harvested. Only three per cent of flax and one percent of canary seed have been harvested in the region.

Reports on barley grades indicate that 38 per cent of the barley is malting barley while 49 per cent is No. 1.

Cropland topsoil moisture was higher than reported last week with three per cent rated as surplus, 85 per cent adequate, eight per cent short and three per cent very short. Topsoil moisture conditions on hay and pasture land was similar to last week and rated as three per cent surplus, 68 per cent adequate, 24 per cent short and six per cent very short.

No crop damage was reported in CD 5A. In CD 5B, water fowl damage was reported in three RMs (308, 335 and 366). In CD 6A, grasshoppers, sawfly and wind were the major causes of crop damage.

Some producers are making good harvest progress, while others are just beginning to harvest. The hot weather is helping crops to mature. Sandhill cranes are reported to be causing problems. There are reports of winter wheat still being seeded. Many producers are still hoping for warm, dry weather.

West-Central Saskatchewan (Crop Districts 6B and 7)

Much of the week was dry but most areas received rain on Thursday and/or Sunday ranging from trace to 15 mm (RM 283). At the CD level, the average rainfall was 7 mm (CD 6B), 2 mm (CD 7A) and 5 mm (CD 7B). Overall, the west central region received an average of 5 mm.

All of the winter wheat and 99 per cent of fall rye have been combined in the region. Ninety-three per cent of field pea and 73 per cent of lentil have been harvested. Canola and barley are reported at 39 and 37 per cent harvested, respectively. Thirty-four per cent of mustard and chickpea have been harvested, while triticale and spring wheat are reported at 30 and 26 per cent harvested, respectively. Durum and oats are sitting at 18 per cent harvested. Canary seed is reported at 14 per cent harvested. Only two per cent of flax has been harvested in the region.

Reports on barley grades indicate that 52 per cent of the barley is malting barley while 45 per cent is No. 1.

Topsoil moisture conditions have improved from that reported last week. Cropland topsoil moisture was reported as 66 per cent adequate, 27 per cent short, and seven per cent very short. Topsoil moisture conditions on hay and pasture land are rated as 56 per cent adequate, 33 per cent short and 11 per cent very short.

Very little crop damage was reported in this region. The few producers who reported crop damage attributed it to wind (in three RMs), grasshoppers (RM 317), and sawflies (RM 350).

Most reports indicate good harvesting weather – a hot week with a few showers. There is lots of wind, which is also helping to dry down the crops. However, there are some reports of immature spring wheat.

Northeastern Saskatchewan (Crop Districts 8 and 9AE)

Much of the week was dry, but most areas received rain on Sunday ranging from trace to 23 mm (RM 370). At the CD level, the average rainfall was eight mm (CD 8A), nine mm (CD 8B) and 22 mm (CD 9AE). Overall, the northeastern region received an average of 10 mm.

All of the fall rye and winter wheat crops have been combined in the region. Ninety-four per cent of field pea, 90 per cent of lentil and 57 per cent of barley have been harvested. Spring wheat and mustard are reported at 36 per cent and 23 per cent harvested, respectively. Durum and oats are sitting at 22 per cent harvested. Canola and canary seed are reported at 21 and 18 per cent harvested, respectively. Only one per cent of flax has been harvested in the region.

Reports on barley grade indicate that 25 per cent of the barley is malting barley, while 70 per cent is No. 1.

Cropland topsoil moisture was reported as one per cent surplus, 83 per cent adequate, and 16 per cent short. Topsoil moisture conditions on hay and pasture land are rated as 78 per cent adequate and 22 per cent short on hay and pasture land.

No crop damage was reported in CD 8A and 9AE. The only crop damage reported in CD 8B was due to water fowl (RM 372) and some grain bleaching (RM 402).

Harvesting is progressing well, although some reports indicate that another two weeks of good weather will help matters. Nights are still reported as cool and the Sunday rain did not help in some areas.

Northwestern Saskatchewan (Crop Districts 9AW and 9B)

Much of the week was dry, but most areas received rain on Thursday and/or Sunday ranging from trace to 31 mm (RM 464). At the CD level, the average rainfall was seven mm (CD 9AW) and two mm (CD 9B). Overall, the northwestern region received an average of five mm.

Ninety-nine per cent of fall rye and 95 per cent of winter wheat have been harvested. Seventy-seven per cent of field peas, 73 per cent of lentil have been harvested. Thirty-three per cent of barley, 21 per cent of canola, 22 per cent of spring wheat and 13 per cent of oats have been harvested. One hundred per cent of the canary seed, mustard and flax are reported as still standing.

Reports on barley grades indicate that 34 per cent of the barley is malting barley, while 58 per cent is No. 1.

Topsoil moisture conditions were similar to those reported last week. Cropland topsoil moisture was reported as 11 per cent surplus, 60 per cent adequate, 22 per cent short and seven per cent very short. Topsoil moisture conditions on hay and pasture land are rated as 47 per cent adequate, 42 per cent short and 11 per cent very short.

Few crop damage reports were received. Those that were recorded were attributed to rain (RM 435), water fowl (RM 494), frost (RM 498) and wind and grasshoppers (RM 501).

Many reporters indicate that it was a slow week due to wet weather – showers and dew in the morning. However, some reported having good harvesting weather.

Saskatchewan Harvest Progress September 21st, 2009

Winter wheat

	% standing	% in swath	% ready to straight combine	% combined
SE	0.0	0.0	0.0	98.1
SW	0.1	0.0	1.1	98.8
EC	0.1	0.6	1.6	97.8
WC	0.3	0.0	0.0	99.7
NE	0.0	0.0	0.0	100.0
NW	0.0	0.0	5.3	94.7

Spring wheat

	% standing	% in swath	% ready to straight combine	% combined
SE	14.9	17.9	7.9	59.3
SW	7.4	4.4	8.7	79.5
EC	19.4	26.4	18.0	36.2
WC	30.8	20.7	22.2	26.1
NE	23.2	18.8	22.5	35.5
NW	32.7	28.9	16.7	21.6

Oats

	% standing	% in swath	% ready to straight combine	% combined
SE	15.8	35.3	0.8	41.7
SW	3.9	10.3	4.6	63.1
EC	43.2	35.3	2.6	18.6
WC	47.2	26.8	5.4	18.0
NE	38.0	19.2	21.1	21.6
NW	54.1	25.3	4.3	13.2

Canola

	% standing	% in swath	% ready to straight combine	% combined
SE	2.8	38.4	0.9	57.9
SW	2.9	11.8	2.8	82.6
EC	4.9	59.2	6.3	29.7
WC	3.3	57.6	0.3	38.7
NE	9.5	65.1	4.8	20.6
NW	7.5	68.7	2.4	21.4

Fall rye

	% standing	% in swath	% ready to straight combine	% combined
SE	0.0	0.0	0.0	99.1
SW	0.0	0.0	0.0	83.2
EC	0.0	0.0	0.0	100.0
WC	0.4	0.0	0.0	99.0
NE	0.0	0.0	0.0	99.8
NW	0.0	0.0	0.0	99.0

Durum

	% standing	% in swath	% ready to straight combine	% combined
SE	22.0	17.4	9.5	51.1
SW	12.0	5.2	10.3	72.6
EC	25.3	19.9	27.7	27.0
WC	48.2	20.0	13.4	18.4
NE	20.0	46.7	11.7	21.7
NW	-	-	-	-

Barley

	% standing	% in swath	% ready to straight combine	% combined
SE	5.0	12.3	4.9	76.9
SW	2.4	6.0	6.7	82.1
EC	7.5	21.0	8.1	63.3
WC	28.1	16.1	17.6	37.2
NE	12.1	18.2	12.6	57.1
NW	21.6	29.9	14.7	33.4

Triticale

	% standing	% in swath	% ready to straight combine	% combined
SE	0.0	60.0	0.0	40.0
SW	0.8	0.2	7.0	48.2
EC	0.0	100.0	0.0	0.0
WC	40.0	16.7	13.3	30.0
NE	N/A	N/A	N/A	N/A
NW	0.0	50.0	0.0	0.0

Mustard

	% standing	% in swath	% ready to straight combine	% combined
SE	20.4	12.3	1.4	66.0
SW	6.7	0.6	1.9	90.8
EC	18.7	32.4	15.1	33.7
WC	42.7	14.9	8.4	34.0
NE	0.0	55.0	21.7	23.3
NW	100.0	0.0	0.0	0.0

Field peas

	% standing	% in swath	% ready to straight combine	% combined
SE	0.8	4.8	0.0	94.4
SW	0.0	0.0	0.2	99.8
EC	0.3	3.0	3.4	93.3
WC	1.9	0.9	3.8	93.4
NE	1.7	1.9	2.3	94.0
NW	2.5	5.9	15.0	76.6

Canary seed				
	% standing	% in swath	% ready to straight combine	% combined
SE	49.2	18.2	3.8	28.8
SW	36.0	14.9	12.3	36.8
EC	89.4	7.0	3.2	0.5
WC	66.1	7.8	12.2	13.9
NE	50.9	22.7	8.9	17.5
NW	100.0	0.0	0.0	0.0

Lentil				
	% standing	% in swath	% ready to straight combine	% combined
SE	2.2	10.9	0.4	86.5
SW	2.6	0.1	0.7	96.7
EC	0.9	0.9	14.1	84.2
WC	12.3	7.5	7.0	73.3
NE	5.0	1.0	4.0	90.0
NW	8.6	9.0	9.0	73.3

Chickpeas				
	% standing	% in swath	% ready to straight combine	% combined
SE	47.5	12.2	0.0	40.3
SW	73.3	2.4	5.2	18.9
EC	14.9	0.0	11.9	73.2
WC	32.7	0.0	33.7	33.6
NE	N/A	N/A	N/A	N/A
NW	N/A	N/A	N/A	N/A

Flax				
	% standing	% in swath	% ready to straight combine	% combined
SE	71.4	10.2	7.4	11.0
SW	73.2	1.9	5.8	19.2
EC	88.1	7.3	1.7	3.0
WC	81.5	6.8	10.1	1.6
NE	75.7	11.5	12.0	0.7
NW	100.0	0.0	0.0	0.0

Crop Districts and Rural Municipalities in Saskatchewan



Weekly Rainfall Summary

(in millimeters) 1 inch = 25 mm for the week ending September 21, 2009

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
1A	1	Argyle	N/A	293
	2	Mt.Pleasant	N/A	245
	3	Enniskillen	1	256
	33 A	Moose Cr.	N/A	231
	33 B	Moose Cr.	N/A	263
	34	Browning	N/A	208
	61	Antler	N/A	225
	63	Moose Mountain	NIL	237
	64	Bruck	NIL	192
	65	Tecumseh	7	192
1B	91	Maryfield	N/A	200
	92	Walpole	N/A	228
	93	Wawken	3	237
	94	Hazelwood	N/A	298
	95	Golden West	5	243
	121	Moosomin	N/A	280
	122	Martin	N/A	258
	123 A	Silverwood	NIL	295
	123 B	Silverwood	N/A	70
	124	Kingsley	7	281
	125	Chester	N/A	236
	151 B	Rocanville	2	270
	153	Willowdale	TR	245
	154	Elcapo	7	242
	155	Wolseley	15	236
2A	36	Cymri	3	313
	66	Griffin	5	210
	67	Weyburn	TR	279
	68	Brokenshell	4	218
	69	Norton	12	323
	96	Fillmore	7	262
	97	Wellington	11	248
	99	Caledonia	24	344
2B	126	Montmartre	1	286
	127 A	Francis	5	305
	127 B	Francis	4	148
	129	Bratt's Lake	19	251
	131	Baildon	7	230
	156 A	Indian Head	6	276
	156 B	Indian Head	13	313
	157	South Qu'appelle	N/A	12
	160	Pense	11	171
	161	Moose Jaw	3	118
	191 A	Marquis	N/A	181
3ASE	9	Surprise Val.	N/A	112
	39 A	Laurier	7	270
	39 B	Laurier	3	263
	39 A	The Gap	8	276
	39 B	The Gap	6	327
3ASW	10	Happy Val.	3	254
	12	Poplar Val.	3	219
	40	Bengough	8	242
	42	Willow Bunch	5	283
	43 A	Old Post	2	250
	44	Waverley	5	264
	70	Key West	N/A	287
	71 A	Excel	20	445
	71 B	Excel	11	375
	71 C	Excel	N/A	N/A
	73 A	Stonehenge	NIL	281
	73 B	Stonehenge	7	306
	74	Wood River	N/A	149
3AN	101	Terrell	5	280
	102	Lake Johnston	9	235
	103	Sutton	10	236
	134	Shamrock	5	294
	164	Chaplin	3	258
	193 A	Eyebrow	7	175
	193 B	Eyebrow	N/A	35
	194	Enfield	3	274
3BS	17 A	Val Marie	2	288
	17 B	Val Marie	N/A	N/A
	45	Mankota	10	216
	75 A	Pinto Cr.	4	215
	75 B	Pinto Cr.	5	189
	76 A	Auvergne	NIL	185
	76 B	Auvergne	1	192
	77	Wise Cr.	2	252
	78 A	Grassy Cr.	1	273
	78 B	Grassy Cr.	NIL	205
	78 C	Grassy Cr.	N/A	242
	105	Glenbain	3	193
	106	Whiska Cr.	1	162
	107	Lac Pelletier	N/A	99
	108	Bone Cr.	2	218

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
3BN	139	Webb	2	220
	165	Morse	5	76
	166	Excelsior	6	186
	167	Sask. Landing	4	215
	168	Riverside	N/A	178
	225	Canaan	1	173
	226	Victory	2	176
	228 A	Lacadena	5	237
	228 B	Lacadena	1	158
	255	Coteau	N/A	288
4A	49 A	White Val.	TR	184
	49 B	White Val.	N/A	157
	51	Reno	TR	155
	79	Arlington	N/A	177
	109	Carmichael	NIL	264
	110	Piapot	TR	243
	111 A	Maple Cr.	N/A	220
4B	139	Gull Lk.	TR	209
	141	Big Stick	4	192
	142	Enterprise	N/A	203
	169	Pittville	N/A	193
	231	Happyland	5	166
	232	Deer Forks	N/A	169
5A	183	Fertile Belt	10	276
	184 A	Grayson	N/A	239
	184 B	Grayson	3	214
	185	Mcleod	N/A	254
	186	Abernethy	14	248
	211	Churchbridge	2	271
	213	Saltcoats	TR	209
	216 A	Tullymet	5	309
	216 B	Tullymet	N/A	197
	241	Calder	NIL	206
	243	Wallace	NIL	233
	245 A	Garry	13	295
	245 B	Garry	10	345
	246	Ituna Bon Acc.	6	346
	247	Kellross	2	286
	248	Touchwood	4	234
5B	271	Cote	TR	248
	273	Sliding Hills	N/A	25
	275	Insinger	N/A	294
	276	Foam Lk.	N/A	268
	277	Emerald	2	315
	305	Ivermay	NIL	257
	307	Elfros	4	306
	308	Big Quill	9	294
	333	Clayton	N/A	105
	335	Hazel Dell	NIL	294
	336	Sasman	NIL	247
	337	Lakeview	N/A	231
	338	Lakeside	12	296
	386	Kelvington	3	310
6A	190 A	Duffern	N/A	153
	190 B	Duffern	7	177
	190 C	Duffern	5	179
	190 D	Duffern	N/A	42
	190 E	Duffern	N/A	N/A
	219 A	Longlaketon	9	230
	219 B	Longlaketon	10	242
	220	McKillop	14	249
	221	Sarnia	8	267
	222	Craik	11	307
	251	Big Arm	9	347
	252	Arm River	10	306
	279 A	Mount Hope	N/A	241
	279 B	Mt Hope	5	261
	280	Wreford	24	222
	282	Mccraney	8	315
	309	Prairie Rose	20	309
	312	Morris	N/A	234
	313	Lost River	N/A	192
	339	Leroy	7	308
	340 A	Wolverine	11	320
	341	Viscount	N/A	240
	343	Blucher	5	226
6B	283	Rosedale	15	334
	284	Rudy	4	293
	285	Fertile Val.	4	243
	286	Milden	8	199
	314	Dundurn	4	297
	344	Corman Pk.	12	188

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
	346	Perdue	3	313
	376 A	Eagle Cr.	N/A	249
	376 B	Eagle Cr.	6	327
7A	259	Snipe Lk.	4	171
	287	St.Andrews	1	178
	288	Pleasant Val.	N/A	237
	290	Kindersley	N/A	40
	292	Milton	N/A	199
	317 A	Marriott	NIL	233
	317 B	Marriott	1	311
	318 A	Mt. View	3	207
	318 B	Mt. View	9	293
	320	Oakdale	NIL	199
	321	Prairiedale	1	189
7B	347 A	Biggar	6	322
	347 B	Biggar	N/A	335
	350 A	Manposa	1	113
	350 B	Manposa	9	197
	351	Progress	N/A	218
	352	Heart's Hill	N/A	104
	377	Glenside	5	313
	378 A	Rosemount	4	228
	378 B	Rosemount	8	293
	379	Reford	12	158
	380	Tramping Lk.	N/A	168
	382	Eye Hill	TR	236
	409	Buffalo	NIL	135
	410	Round Val.	N/A	221
	411	Senlac	6	383
8A	395	Porcupine	N/A	329
	397	Barrier Val.	N/A	N/A
	428	Star City	8	239
	456	Arborfield	10	312
	457	Connaught	N/A	156
	458	Willow Cr.	8	158
	486	Moose Range	N/A	253
	487	Nipawin	9	239
8B	369	St. Peter	N/A	191
	370	Humboldt	23	319
	371	Bayne	2	265
	372	Grant	8	224
	400	Three Lks.	N/A	N/A
	402	Fish Cr.	10	213
	429 A	Flett's Spr.	4	101
	429 B	Flett's Spr.	9	303
	431	St. Louis	12	262
	459	Kinistino	5	275
9AE	461	Prince Albert	N/A	168
	488	Torch River	22	282
	520	Paddockwood	N/A	28
9AW	406	Mayfield	2	247
	435	Redberry	10	385
	436	Douglas	2	161
	463	Duck Lake	4	290
	464	Leask	31	278
	467	Round Hill	N/A	190
	493	Shellbrook	3	331
	494	Canwood	11	306
	496	Spiritwood	2	187
	497	Medstead	2	197
	555	Big River	N/A	15
9B	438	Battle River	2	280
	440	Hillsdale	3	197
	442	Manitou Lake	1	176
	498 A	Parkdale	1	191
	498 B	Parkdale	TR	180
	499	Mervin	3	211
	501 A	Frenchman Butte	N/A	206
	501 B	Frenchman Butte	4	237
	501 C	Frenchman Butte	NIL	163
	502	Britannia	2	202
	561	Loon Lake	2	213
	588 A	Meadow Lake	8	260
	588 B	Meadow Lake	N/A	197
	588 C	Meadow Lake	2	223
	588 D	Meadow Lake	N/A	220
	622	Beaver River	N/A	133

* incomplete

Municipality No: A, B, C, and D - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

Weekly Rainfall

for the week ending September 21, 2009



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2009 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: September 23, 2009

Weekly Rainfall

for the week ending September 21, 2009



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2009 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Rainfall - Ministry of Agriculture Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: September 23, 2009

Cumulative Rainfall

From: April 1, 2009
To: September 21, 2009



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2009 Government of Saskatchewan

0 25 50 100 150 200
Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: September 23, 2009

Cropland Topsoil Moisture Conditions

September 22, 2009



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2009 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: September 23, 2009

Cumulative Rainfall

From: April 1, 2009
To: September 21, 2009



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2009 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: September 23, 2009

Cropland Topsoil Moisture Conditions

September 22, 2009



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2009 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13; Datum: NAD83

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: September 23, 2009

Hay and Pasture Topsoil Moisture Conditions

September 22, 2009



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2009 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: September 23, 2009